

# Package: businessPlanR (via r-universe)

September 13, 2024

**Type** Package

**Title** Simple Modelling Tools for Business Plans

**Description** A collection of S4 classes, methods and functions to create and visualize business plans. Different types of cash flows can be defined, which can then be used and tabulated to create profit and loss statements, cash flow plans, investment and depreciation schedules, loan amortization schedules, etc. The methods are designed to produce handsome tables in both PDF and HTML using 'RMarkdown' or 'Shiny'.

**Author** Meik Michalke [aut, cre]

**Maintainer** Meik Michalke <meik.michalke@c3s.cc>

**Depends** R (>= 4.0.0)

**Imports** methods,kableExtra,knitr

**Suggests** testthat,rmarkdown,shiny

**VignetteBuilder** knitr

**URL** <https://www.c3s.cc>

**BugReports** <https://github.com/C3S/businessPlanR/issues>

**License** GPL (>= 3)

**Encoding** UTF-8

**LazyLoad** yes

**Version** 0.1-0

**Date** 2023-08-14

**RoxygenNote** 7.2.2

**Collate** '00\_environment.R' '01\_class\_01\_operations.R'  
'01\_class\_02\_transaction.R' '01\_class\_03\_revenue.R'  
'01\_class\_04\_expense.R' '01\_class\_05\_loan.R'  
'01\_class\_06\_depreciation.R' '01\_class\_07\_transaction\_plan.R'  
'02\_method\_barplot.R' '02\_method\_condense.R'  
'02\_method\_get\_set\_as.R' '02\_method\_kable\_bpR.R'  
'02\_method\_kbl\_by\_types.R' '02\_method\_model2df.R'

'02\_method\_update\_operations.R' '02\_method\_update\_plan.R'  
 'businessPlanR-package.R' 'businessPlanR\_internal.R'  
 'calc\_staff.R' 'fin\_needs.R' 'first\_last.R' 'growth.R'  
 'model\_node.R' 'nice\_numbers.R' 'options.R' 'permalink2list.R'  
 'regularly.R' 'regularly\_delayed.R'

**Repository** <https://c3s.r-universe.dev>

**RemoteUrl** <https://github.com/c3s/businessplanr>

**RemoteRef** HEAD

**RemoteSha** cbc35f5f7439e51fef702fe5cb366c36702763e7

## Contents

businessPlanR-package . . . . .	3
barplot . . . . .	4
calc_staff . . . . .	4
condense . . . . .	5
depreciation,-class . . . . .	7
expense,-class . . . . .	9
fin_needs . . . . .	10
first_last . . . . .	11
get_revenue . . . . .	12
growth . . . . .	16
kable_bpR . . . . .	17
kbl_by_types . . . . .	20
loan,-class . . . . .	21
model2df . . . . .	23
nice_numbers . . . . .	24
operations,-class . . . . .	25
permalink2list . . . . .	27
regularly . . . . .	28
regularly_delayed . . . . .	29
revenue,-class . . . . .	30
set_types . . . . .	32
table_model . . . . .	33
transaction,-class . . . . .	34
transaction_plan,-class . . . . .	35
update_operations<- . . . . .	36
update_plan<- . . . . .	37

**Index**

**39**

---

businessPlanR-package *Simple Modelling Tools for Business Plans*

---

## Description

A collection of S4 classes, methods and functions to create and visualize business plans. Different types of cash flows can be defined, which can then be used and tabulated to create profit and loss statements, cash flow plans, investment and depreciation schedules, loan amortization schedules, etc. The methods are designed to produce handsome tables in both PDF and HTML using 'RMarkdown' or 'Shiny'.

## Details

The DESCRIPTION file:

Package:	businessPlanR
Type:	Package
Version:	0.1-0
Date:	2023-08-14
Depends:	R (>= 4.0.0)
Encoding:	UTF-8
License:	GPL (>= 3)
LazyLoad:	yes
URL:	<a href="https://www.c3s.cc">https://www.c3s.cc</a>

## Author(s)

Meik Michalke [aut, cre]

Maintainer: Meik Michalke <[meik.michalke@c3s.cc](mailto:meik.michalke@c3s.cc)>

## See Also

Useful links:

- <https://www.c3s.cc>
- Report bugs at <https://github.com/C3S/businessPlanR/issues>

---

barplot	<i>Plot business plan transactions</i>
---------	--

---

### Description

Plot business plan transactions

### Usage

```
barplot(height, ...)

## S4 method for signature 'revenue'
barplot(height, resolution = "month", types = "default", ...)

## S4 method for signature 'expense'
barplot(height, resolution = "month", types = "default", ...)

## S4 method for signature 'operations'
barplot(height, resolution = "month", scope = "profit",
        types = "default", ...)
```

### Arguments

height	An object of class <a href="#">operations</a> , <a href="#">revenue</a> or <a href="#">expense</a> .
...	Any other argument suitable for <code>barplot()</code> .
resolution	One of "month", "quarter", or "year".
types	Character string naming the model types defined by <a href="#">set_types</a> to be used.
scope	One of "revenue", "expense", "rev_exp", "profit".

### Value

See [barplot](#).

---

calc_staff	<i>Calculate the number of staff persons necessary to complete a task</i>
------------	---

---

### Description

Calculates two values (split by 'boom\_months') and returns both in a vector, so that there's never a shortage of staff.

**Usage**

```
calc_staff(
  task,
  workdays = 205,
  hours = 8,
  rnd = 0.25,
  boom_months = 6,
  boom_pct = 0.5
)
```

**Arguments**

task	The total number of hours to get done in one year.
workdays	Numeric, average total working days for a staff person. 205 is the conservative lower end for Germany, see <a href="https://www.deutschlandinzahlen.de/tab/deutschland/arbeitsmarkt/arbeitszeit/arbeitsstage">https://www.deutschlandinzahlen.de/tab/deutschland/arbeitsmarkt/arbeitszeit/arbeitsstage</a> .
hours	Number of hours per working day.
rnd	Round numbers up to this next fraction of a part-time job.
boom_months	Number of months with highest workload, e.g., festival summer
boom_pct	Total fraction of task that needs to be done during boom_months.

**Details**

Set boom\_months=6 and boom\_pct=.5 to get all hours spread evenly across the year.

**Value**

A named vector with two elements, high (number of staff needed for months with higher workload) and low (number of staff needed for months with lower workload).

**Examples**

```
calc_staff(12328)
```

---

 condense

*Condense operations objects into neat data frame*


---

**Description**

Uses the provided model to create a data frame from the `operations` object. Depending on the type of data frame requested (i.e., default or cashflow) and the temporal resolution (month, quarter or year), various subsets of the overall data in `obj` are returned.

**Usage**

```
condense(
  obj,
  model = get_model(),
  resolution = c("year", "quarter", "month"),
  keep_types = TRUE,
  cashflow = FALSE,
  cf_init = 0,
  cf_names = c(begin = "Begin", end = "End"),
  years = get_period(obj, years = TRUE),
  digits = 2
)

## S4 method for signature 'operations'
condense(
  obj,
  model = get_model(),
  resolution = c("year", "quarter", "month"),
  keep_types = TRUE,
  cashflow = FALSE,
  cf_init = 0,
  cf_names = c(begin = "Begin", end = "End"),
  years = get_period(obj, years = TRUE),
  digits = 2
)
```

**Arguments**

<code>obj</code>	An object of class <code>operations</code> .
<code>model</code>	A named list of named lists describing the stepwise accounting rules for all data in in <code>obj</code> .
<code>resolution</code>	One of "month", "quarter", or "year".
<code>keep_types</code>	Logical, whether the returned data frame should keep the intermediate results for each relevant type of transaction. This will add a column type to the data frame.
<code>cashflow</code>	Logical, whether the model describes a cashflow plan. If TRUE, calculations will start with the initial value as specified by <code>cf_init</code> and use the result of each period as the starting value of following periods.
<code>cf_init</code>	Numeric, used as the initial value for cashflow calculations if <code>cashflow=TRUE</code> ; i.e., the first beginning cash value.
<code>cf_names</code>	Character vector with two entries named <code>begin</code> and <code>end</code> , used in the resulting table for beginning cash and ending cash.
<code>years</code>	Character (or numeric) vector defining the year(s) to be represented in the output. This is intended to be useful for splitting up quarterly or monthly output.
<code>digits</code>	Number of digits used for rounding values, disabled if set to NA.

**Value**

A data frame with a subset of the financial transactions of obj.

---

depreciation,-class    *S4 Class depreciation*

---

**Description**

This is a special case of the generic class [transaction](#).

**Usage**

```
## S4 method for signature 'depreciation'
initialize(
  .Object,
  type,
  category,
  name,
  amount,
  obsolete,
  invest_month = format(Sys.Date(), "%Y.%m"),
  method = c("linear", "writedown", "sumofyears", "doubledecline"),
  valid_types = "default",
  value
)
```

**Arguments**

.Object	The object to initialize.
type	A character string defining the type of transaction as defined by valid_types.
category	A character string, custom category for this transaction.
name	A character string, custom name or ID for this transaction (i.e., a particular asset that was purchased).
amount	Numeric, the amount of money invested into the asset.
obsolete	Integer value defining the period (in months) over which the value of the asset diminishes to zero.
invest_month	Character string in YYYY.MM format, the month of the investment/purchase.
method	One of the following, defining the depreciation method: <ul style="list-style-type: none"> <li>• "linear": The straight line depreciation. This is currently the only implemented option.</li> <li>• "writedown": The written-down value depreciation, not yet implemented.</li> <li>• "sumofyears": The sum-of-years depreciation, not yet implemented.</li> <li>• "doubledecline": The double-declining depreciation, not yet implemented.</li> </ul>

valid_types	A character string, the model types defined by <code>set_types</code> to be used for validation. If "default", pre-defined example types are used.
value	A valid data frame to be used as the value slot directly, omitting calculation via amount, obsolete, invest_month, etc.

### Details

In contrast to `revenue` or `expense`, the time range of this class of objects is defined by details of the investment as specified. Only when used as an aspect of an `operations` class object, this range is adjusted to fit that particular object.

### Slots

type	A character string, for valid values see <code>valid_types</code> . You might use all valid types pre-defined for either revenue or expense, considering that you might be the depreciation giver or receiver.
category	A character string, custom category for this depreciation.
name	A character string, custom name or ID for this depreciation.
value	Data frame containing an investment plan and allowance for depreciation balance, each month in a row named YYYY.MM. The columns are investment, depreciation, and remaining value.
valid_types	A character string, the model types defined by <code>set_types</code> to be used for validation.

### Constructor function

Should you need to manually generate objects of this class, the constructor function `depreciation(...)` can be used instead of `new("depreciation", ...)`.

### NA

Should you need to manually generate objects of this class, the constructor function `depreciation(...)` can be used instead of `new("depreciation", ...)`.

### Examples

```
depreciation_printer <- depreciation(
  type="Depreciation",
  category="Office",
  name="Printer",
  amount=100,
  obsolete=36,
  invest_month="2019.04"
)

# turn depreciation object into an expense
depreciation_as_expense_printer <- as_transaction(
  depreciation_printer,
  to="expense",
  aspect="depreciation"
)
```



---

expense,-class	<i>S4 Class expense</i>
----------------	-------------------------

---

### Description

This is a special case of the generic class [transaction](#).

### Usage

```
## S4 method for signature 'expense'
initialize(
  .Object,
  type,
  category,
  name,
  per_use,
  missing = c("rep", "interpol", "0"),
  due_month = NA,
  valid_types = "default",
  ...,
  .list = list()
)
```

### Arguments

<code>.Object</code>	The object to initialize.
<code>type</code>	A character string defining the type of transaction as defined by <code>valid_types</code> .
<code>category</code>	A character string, custom category for this transaction.
<code>name</code>	A character string, custom name or ID for this transaction.
<code>per_use</code>	If given, the numbers provided via <code>...</code> (or <code>.list</code> ) are not interpreted as the monetary value, but as number of transactions in that month, and the actual fiscal value is calculated by multiplying it with the value given here.
<code>missing</code>	One of "rep", "interpol", or "0". This defines how gaps are filled: If "rep", present values are repeated until the next valid value; if "interpol", missing values are interpolated using approx; if "0", missing values are set to zero.
<code>due_month</code>	Character vector to define months where transactions are due. This argument causes previous amounts to be cumulated and thereby postponed to the given month of a year. Combined with e.g. <code>.list</code> this makes it easier to turn monthly amounts into quarterly ones.
<code>valid_types</code>	A character string, the model types defined by <a href="#">set_types</a> to be used for validation. If "default", pre-defined example types are used.
<code>...</code>	Numeric values named in YYYY.MM format, defining the transaction amount for a particular month. The resulting object will automatically cover all months from the earliest to the latest among all given values.
<code>.list</code>	An alternative to <code>...</code> if the values are already present as a list. If both are given, their values will be merged into one list.

**Slots**

type A character string, for valid values see `valid_types`.

category A character string, custom category for this expense.

name A character string, custom name or ID for this expense.

value Data frame containing all expenses, each month in a column named YYYY.MM.

valid\_types A character string, the model types defined by `set_types` to be used for validation.

**Constructor function**

Should you need to manually generate objects of this class, the constructor function `expense(...)` can be used instead of `new("expense", ...)`.

**Examples**

```
exp_2019_2021 <- expense(  
  type="Goods",  
  category="Merch",  
  name="T-Shirts",  
  "2019.03"=65,  
  "2019.07"=170,  
  "2020.02"=210,  
  "2020.08"=312,  
  "2021.01"=450,  
  "2021.06"=600,  
  "2021.10"=720  
)
```

---

fin\_needs

*Estimate capital requirement from cash flow*

---

**Description**

To avoid cash flow issues, this function takes a data frame as returned by `condense` with `cashflow=TRUE` to calculate the amount of financial needs per time resolution.

**Usage**

```
fin_needs(  
  cashflow_df,  
  resolution = c("year", "quarter", "month"),  
  row_names = c("Financial needs", "Cumulative")  
)
```

**Arguments**

cashflow_df	Data frame as returned by <a href="#">condense</a> with cashflow=TRUE.
resolution	One of "month", "quarter", or "year". Must be identical to the value used with the call to <a href="#">condense</a> !
row_names	Character vector of two, names for the rows of the resulting data frame. The first represents financial need per time period (column), the second is cumulated over all columns.

**Details**

Only negative values are returned, so the row sum can be used as an estimate of the overall financial demand for the given period of time.

**Value**

A data frame with two rows and columns depending on resolution and period covered by cashflow\_df.

---

first_last	<i>Shortcut for lists with steady transactions.</i>
------------	---

---

**Description**

Generates a list of two elements, first and last month of the full years range, both with the same value specified.

**Usage**

```
first_last(years, value)
```

**Arguments**

years	Integer vector, at least two elements, the range of years to cover.
value	The transaction amount that is assumed to remain unchanged over all years.

**Details**

You can use this in combination with the `.list` argument of [expense](#), [revenue](#), and [transaction](#).

**Value**

A list with two elements named after the first and last month of the years' range in YYYY.MM format.

## Examples

```
expense(  
  type="Operation",  
  category="Bank",  
  name="Accounting",  
  missing="rep",  
  .list=first_last(2022:2025, value=20)  
)
```

---

get\_revenue

*Getter/setter methods for businessPlanR objects*

---

## Description

These methods return the requested slots from objects of class `operations`, `revenue`, `expense`, `transaction_plan`, `loan` or `depreciation`, or, in case of their <- counterparts, replace slots with a given value.

## Usage

```
get_revenue(  
  obj,  
  drop_nonyear_cols = FALSE,  
  resolution = c("month", "quarter", "year"),  
  only_type,  
  not_type  
)  
  
## S4 method for signature 'operations'  
get_revenue(  
  obj,  
  drop_nonyear_cols = FALSE,  
  resolution = c("month", "quarter", "year"),  
  only_type,  
  not_type  
)  
  
get_expense(  
  obj,  
  drop_nonyear_cols = FALSE,  
  resolution = c("month", "quarter", "year"),  
  only_type,  
  not_type  
)  
  
## S4 method for signature 'operations'  
get_expense(  
  obj,  
  drop_nonyear_cols = FALSE,  
  resolution = c("month", "quarter", "year"),  
  only_type,  
  not_type  
)
```

```
    obj,  
    drop_nonyear_cols = FALSE,  
    resolution = c("month", "quarter", "year"),  
    only_type,  
    not_type  
  )  
  
get_value(  
  obj,  
  drop_nonyear_cols = FALSE,  
  resolution = c("month", "quarter", "year")  
)  
  
## S4 method for signature 'transaction_plan'  
get_value(  
  obj,  
  drop_nonyear_cols = FALSE,  
  resolution = c("month", "quarter", "year")  
)  
  
## S4 method for signature 'loan'  
get_value(  
  obj,  
  drop_nonyear_cols = FALSE,  
  resolution = c("month", "quarter", "year")  
)  
  
## S4 method for signature 'depreciation'  
get_value(  
  obj,  
  drop_nonyear_cols = FALSE,  
  resolution = c("month", "quarter", "year")  
)  
  
## S4 method for signature 'revenue'  
get_value(  
  obj,  
  drop_nonyear_cols = FALSE,  
  resolution = c("month", "quarter", "year")  
)  
  
## S4 method for signature 'expense'  
get_value(  
  obj,  
  drop_nonyear_cols = FALSE,  
  resolution = c("month", "quarter", "year")  
)
```

```
get_loans(obj, as_data_frame = TRUE)

## S4 method for signature 'operations'
get_loans(obj, as_data_frame = TRUE)

get_plan(obj, type, category, name, valid_types = "default")

## S4 method for signature 'transaction_plan'
get_plan(obj, type, category, name, valid_types = "default")

get_period(obj, years = FALSE)

## S4 method for signature 'operations'
get_period(obj, years = FALSE)

## S4 method for signature 'transaction_plan'
get_period(obj, years = FALSE)

## S4 method for signature 'loan'
get_period(obj, years = FALSE)

## S4 method for signature 'depreciation'
get_period(obj, years = FALSE)

get_depreciation_plan(obj, as_data_frame = TRUE)

## S4 method for signature 'operations'
get_depreciation_plan(obj, as_data_frame = TRUE)

get_plan_type(obj)

## S4 method for signature 'transaction_plan'
get_plan_type(obj)

get_misc(obj, name)

## S4 method for signature 'operations'
get_misc(obj, name)

set_misc(obj, name) <- value

## S4 replacement method for signature 'operations'
set_misc(obj, name) <- value

list_plans(obj)

## S4 method for signature 'transaction_plan'
list_plans(obj)
```

```

get_sum(obj)

## S4 method for signature 'revenue'
get_sum(obj)

## S4 method for signature 'expense'
get_sum(obj)

as_transaction(obj, to, aspect, valid_types = "default", type)

## S4 method for signature 'loan'
as_transaction(
  obj,
  to = c("revenue", "expense"),
  aspect = c("interest", "balance_start", "principal", "total", "cumsum",
    "balance_remain"),
  valid_types = "default",
  type
)

## S4 method for signature 'depreciation'
as_transaction(
  obj,
  to = c("revenue", "expense"),
  aspect = c("investment", "depreciation", "value"),
  valid_types = "default",
  type
)

```

## Arguments

obj	An object of class <a href="#">operations</a> , <a href="#">revenue</a> , <a href="#">expense</a> , <a href="#">transaction_plan</a> , <a href="#">loan</a> or <a href="#">depreciation</a> .
drop_nonyear_cols	Logical, whether to drop or keep columns specifying type, category or name or rows.
resolution	One of "month", "quarter", or "year".
only_type	Optional character vector, if given, only rows with matching type are returned. Overrides not_type if both are provided.
not_type	Optional character vector, if given, only rows with types not matching the vector entries are returned.
as_data_frame	Logical, if FALSE returns an object of class <a href="#">transaction_plan</a> instead of a data frame.
type	Character string, a valid type name for the resulting object.
category	A character string, custom category for this transaction.

name	Character or integer, specifying which element to get/set. If missing, the whole list is returned/replaced.
valid_types	A character string, the model types defined by <code>set_types</code> to be used for validation. If "default", pre-defined example types are used.
years	Logical, if TRUE doesn't return the period vector but a vector of all years in the period.
value	A value to assign to the object.
to	Character string, the transaction class to coerce into.
aspect	Character string, the row/column of the input objects's value data frame to use in the resulting object. All additional data are silently dropped.

### Details

If `as_transaction(..., aspect="balance_start")` is being called on a loan object, only the initial value (and perhaps growth instead of declining values) is used, e.g. as revenue for calculations.

### Value

Depending on the method, either a data frame or a numeric value.

---

growth	<i>Growth of a numeric vector</i>
--------	-----------------------------------

---

### Description

Calculates the differences between consecutive values in a numeric vector.

### Usage

```
growth(x, round = c("round", "ceiling", "floor"), digits = 0, init = x[1])
```

### Arguments

x	A numeric vector.
round	One of "round" (invokes <code>round</code> on x before calculation), "ceiling" (calling <code>ceiling</code> ), or "floor" (calling <code>floor</code> instead of round, respectively).
digits	Integer, passed to round if round="round".
init	Numeric, the initial value to compare the first element of x to.

### Value

A numeric vector the same length as x.

### Examples

```
growth(c(1,10,12,15,122))
```



---

kable_bpR	<i>Format table from condensed objects</i>
-----------	--

---

**Description**

This method uses the kableExtra package for table formatting.

**Usage**

```
kable_bpR(  
  obj,  
  model = get_model(),  
  resolution = c("year", "quarter", "month"),  
  keep_types = TRUE,  
  detailed = FALSE,  
  cashflow = FALSE,  
  currency = "€",  
  DIY = FALSE,  
  longtable_clean_cut = TRUE,  
  font_size = NULL,  
  latex_options = "striped",  
  stripe_color = "gray!6",  
  years = get_period(obj, years = TRUE),  
  detail_names = c(revenue = "Revenue", expense = "Exepense"),  
  detail_colors = c(color = "white", background = "grey"),  
  cf_init = 0,  
  cf_names = c(begin = "Begin", end = "End"),  
  space = c(html = "&#8239;", latex = "\\,"),  
  detail_width,  
  ...  
)  
  
## S4 method for signature 'operations'  
kable_bpR(  
  obj,  
  model = get_model(),  
  resolution = c("year", "quarter", "month"),  
  keep_types = TRUE,  
  detailed = FALSE,  
  cashflow = FALSE,  
  currency = "€",  
  DIY = FALSE,  
  longtable_clean_cut = TRUE,  
  font_size = NULL,  
  latex_options = "striped",  
  stripe_color = "gray!6",  
  years = get_period(obj, years = TRUE),
```

```

    detail_names = c(revenue = "Revenue", expense = "Exepense"),
    detail_colors = c(color = "white", background = "grey"),
    cf_init = 0,
    cf_names = c(begin = "Begin", end = "End"),
    space = c(html = "&#8239;", latex = "\\,"),
    detail_width,
    ...
)

## S4 method for signature 'loan'
kable_bpR(
  obj,
  resolution = c("month", "quarter", "year"),
  currency = "€",
  DIY = FALSE,
  font_size = NULL,
  latex_options = "striped",
  stripe_color = "gray!6",
  loan_names = c(balance_start = "Balance start", interest = "Interest", principal =
    "Principal", total = "Total", cumsum = "Cumulated", balance_remain =
    "Balance remain"),
  space = c(html = "&#8239;", latex = "\\,"),
  ...
)

## S4 method for signature 'transaction_plan'
kable_bpR(
  obj,
  resolution = c("month", "quarter", "year"),
  keep_types = FALSE,
  currency = "€",
  DIY = FALSE,
  longtable_clean_cut = TRUE,
  font_size = NULL,
  latex_options = "basic",
  stripe_color = "gray!6",
  years = get_period(obj, years = TRUE),
  dep_names = c(investment = "Investment", depreciation = "Depreciation", value =
    "Value", sum = "Sum"),
  loan_names = c(balance_start = "Balance start", interest = "Interest", principal =
    "Principal", total = "Total", cumsum = "Cumulated", balance_remain =
    "Balance remain", sum = "Sum"),
  space = c(html = "&#8239;", latex = "\\,"),
  zeroes = c(html = "#C0C0C0", latex = "gray!25"),
  ...
)

```

**Arguments**

obj	An object of class <a href="#">operations</a> or <a href="#">loan</a> .
model	A named list of named lists describing the stepwise accounting rules for all data in in obj.
resolution	One of "month", "quarter", or "year".
keep_types	Logical, whether the returned data frame should keep the intermediate results for each relevant type of transaction. This will add a column type to the data frame.
detailed	Logical, supersedes keep_types. If TRUE, the table includes detailed information all the way down to types, categories, and transaction names.
cashflow	Logical, whether the model describes a cash flow plan. If TRUE, calculations will start with the initial value as specified by cf_init and use the result of each period as the starting value of following periods. This only works if detailed=FALSE.
currency	Character defining a currency symbol.
DIY	Logical, if TRUE returns the kable object prior to any row collapsing, column specs or kable styling, so you can apply all of those as you wish.
longtable_clean_cut	Passed to <a href="#">collapse_rows</a> .
font_size	Passed to <a href="#">kable_styling</a> .
latex_options	Passed to <a href="#">kable_styling</a> .
stripe_color	Passed to <a href="#">kable_styling</a> .
years	Character (or numeric) vector defining the year(s) to be represented in the output. This is intended to be useful for splitting up quarterly or monthly output.
detail_names	A named character vector with two entries, revenue and expense, defining the global names used for the two transaction classes in the data frame if detailed=TRUE.
detail_colors	A named character vector with two entries, color and background, defining the color scheme for position headlines (revenue and expense). Only relevant if detailed=TRUE.
cf_init	Numeric, used as the initial value for cash flow calculations if cashflow=TRUE; i.e., the first beginning cash value.
cf_names	Character vector with two entries named begin and end, used in the resulting table for beginning cash and ending cash.
space	Character, a space definition to put between currency and value.
detail_width	Optional vector of length 3, if given defined the width of the three categorical columns, Type, Category, and Name.
...	Additional arguments passed on to <a href="#">kbl</a> .
loan_names	Like dep_names but with seven named entries, balance_start, interest, principal, total, cumsum, balance_remain, and sum, for loan plans, respectively.
dep_names	A named character vector with four entries, investment, depreciation, value, and sum, used in table to describe the rows of each depreciation item, with sum only being used in the final set of rows showing a summary over all items.
zeroes	Named character vector defining the text color to use for zero amounts, for both LaTeX and HTML format.

**Value**

An object of class kable.

---

kbl\_by\_types

*Format table from collection of types of operations objects*


---

**Description**

This method uses the kableExtra package for table formatting.

**Usage**

```
kbl_by_types(
  obj,
  types,
  resolution = c("year", "quarter", "month"),
  currency = "€",
  digits = 0,
  DIY = FALSE,
  font_size = NULL,
  latex_options = "striped",
  stripe_color = "gray!6",
  years = get_period(obj, years = TRUE),
  sum_names = c(subtotal = "Subtotal", total = "Total"),
  type_colors = c(color = "white", background = "grey"),
  space = c(html = "&#8239;", latex = "\\, "),
  ...
)

## S4 method for signature 'operations'
kbl_by_types(
  obj,
  types,
  resolution = c("year", "quarter", "month"),
  currency = "€",
  digits = 0,
  DIY = FALSE,
  font_size = NULL,
  latex_options = "striped",
  stripe_color = "gray!6",
  years = get_period(obj, years = TRUE),
  sum_names = c(subtotal = "Subtotal", total = "Total"),
  type_colors = c(color = "white", background = "grey"),
  space = c(html = "&#8239;", latex = "\\, "),
  ...
)
```

**Arguments**

obj	An object of class <a href="#">operations</a> or <a href="#">loan</a> .
types	A named character vector of types to fetch from obj and print in the resulting table. Names must be the type names, their value must be one of "revenue" or "expense" so the method knows what to use in case identical type names are defined for both.
resolution	One of "month", "quarter", or "year".
currency	Character defining a currency symbol.
digits	Integer, round values to number of digits.
DIY	Logical, if TRUE returns the kable object prior to any row packing, specs or kable styling, so you can apply all of those as you wish.
font_size	Passed to <a href="#">kable_styling</a> .
latex_options	Passed to <a href="#">kable_styling</a> .
stripe_color	Passed to <a href="#">kable_styling</a> .
years	Character (or numeric) vector defining the year(s) to be represented in the output. This is intended to be useful for splitting up quarterly or monthly output.
sum_names	A named character vector with two entries, subtotal and total, to be used in the resulting table for those values.
type_colors	A named character vector with two entries, color and background, defining the color scheme for type headlines.
space	Character, a space definition to put between currency and value.
...	Additional arguments passed on to <a href="#">kbl</a> .

**Value**

An object of class kable.

---

loan,-class

*S4 Class loan*


---

**Description**

This is a special case of the generic class [transaction](#).

**Usage**

```
## S4 method for signature 'loan'
initialize(
  .Object,
  type,
  category,
  name,
  amount,
```

```

    period,
    interest,
    first_month = format(Sys.Date(), "%Y.%m"),
    schedule = c("annuity", "amortization", "maturity"),
    due_month = NA,
    valid_types = "default",
    value
)

```

### Arguments

.Object	The object to initialize.
type	A character string defining the type of transaction as defined by <code>valid_types</code> .
category	A character string, custom category for this transaction.
name	A character string, custom name or ID for this transaction.
amount	Numeric, the amount of money loaned.
period	Integer, number of months to fully repay the loan.
interest	Numeric, the nominal interest rate per annum (a value between 0 and 1).
first_month	Character string in YYYY.MM format, defining the initial date of the loan.
schedule	One of the following, defining the repayment schedule: <ul style="list-style-type: none"> <li>• "annuity": Equal rates of total repayment over period, thereby interest is relatively higher and principal payment relatively lower at the beginning.</li> <li>• "amortization": Repayment of equal rates of principal payment with decreasing interest and total payments over period.</li> <li>• "maturity": Repayment of the full loan amount at the end of period, until then only payment of interest.</li> </ul>
due_month	Integer value defining the first month of principal repayment. The selected schedule will not begin before this month, until then only interest rates are due. Beware that this is a different behaviour of this argument compared to <a href="#">transaction</a> .
valid_types	A character string, the model types defined by <a href="#">set_types</a> to be used for validation. If "default", pre-defined example types are used.
value	A valid data frame to be used as the value slot directly, omitting calculation via amount, period, interest, etc.

### Details

In contrast to [revenue](#) or [expense](#), the time range of this class of objects is defined by details of the loan as specified. Only when used as an aspect of an [operations](#) class object, this range is adjusted to fit that particular object.

### Slots

`type` A character string, for valid values see `valid_types`. You might use all valid types pre-defined for either revenue or expense, considering that you might be the loan giver or receiver.

category A character string, custom category for this loan.

name A character string, custom name or ID for this loan.

value Data frame containing an amortization schedule for the loan, each month in a row named YYYY.MM. It has a row for each month and the columns balance\_start, interest, principal, total, cumsum, and balance\_remain.

valid\_types A character string, the model types defined by [set\\_types](#) to be used for validation.

### Constructor function

Should you need to manually generate objects of this class, the constructor function `loan(...)` can be used instead of `new("loan", ...)`.

### NA

Should you need to manually generate objects of this class, the constructor function `loan(...)` can be used instead of `new("loan", ...)`.

### Examples

```
loan_2019 <- loan(
  type="Interest",
  category="Bank",
  name="New office",
  amount=10000,
  period=60,
  interest=0.075,
  first_month="2019.04",
  schedule=c("amortization")
)

# turn loan object into an expense
loan_as_expense_2019 <- as_transaction(
  loan_2019,
  to="expense",
  aspect="interest"
)
```

### Description

Converting a model from list format into a data frame makes it easier to work with nested sub-positions, and to check the model for completeness.

**Usage**

```
model2df(model = get_model(), factorize = TRUE)

## S4 method for signature 'list'
model2df(model = get_model(), factorize = TRUE)
```

**Arguments**

model	A named list describing a transaction model.
factorize	Logical, whether columns not representing a transaction type should be returned as a factor.

**Details**

The list provided must have named entries which form the top level of the transaction model. Values are in turn a list with optional named arguments:

- subpos A named list, nested sub-position to this level, structured like any higher level position.
- carry Name of a previous position of the same level, its value is used as the starting value of this position.
- revenue Character vecotor of valid revenue types, their values are added to the position total.
- expense Character vecotor of valid expense types, their values are subtracted from the position total.

**Value**

A data frame, representing the model structure that was defined with [table\\_model](#).

---

nice_numbers	<i>Format numbers in nice layout</i>
--------------	--------------------------------------

---

**Description**

Uses [format](#) with some customized defaults. It's being called by [kable\\_bpR](#).

**Usage**

```
nice_numbers(
  x,
  prefix,
  suffix,
  digits = 0L,
  width = NULL,
  nsmall = digits,
  space = c(html = "&#8239;", latex = "\\,")
)
```



**Arguments**

x	The numeric value to format. Can be a single number, numeric vector, matrix, or data frame.
prefix	An optional symbol to prepend, ignored if missing.
suffix	An optional symbol to append, ignored if missing.
digits	See <a href="#">round</a> .
width	See <a href="#">format</a> .
nsmall	See <a href="#">format</a> .
space	Named character vector, a space definition to put between prefix/suffix and value. Defaults to a thin space for both, LaTeX and HTML. If you use provide one character, that one is used regardless of the output environment.

**Value**

A formatted character string.

**Examples**

```
nice_numbers(12345.6789, suffix="€", digits=2)
```

---

operations,-class      *S4 Class operations*

---

**Description**

This class is used for objects that contain all transactions of the business plan.

**Slots**

**period** A character vector defining beginning and end of the time period covered by the business plan. Values can either be a vector of two in YYYY.MM format, or a numeric vector of full fiscal years which will automatically be transformed into character.

**revenue** Data frame containing type, category, name, and all revenues, each month in a column named YYYY.MM. If these are not covering period exactly, missing values will be set to zero.

**expense** Data frame containing all expenses, data structure like the revenue slot.

**loan** Data frame, basically the plan slot as in [transaction\\_plan](#) with plan\_type="loan".

**depreciation** Data frame, like loan, but with plan\_type="depreciation", respectively.

**misc** A list to keep miscellaneous data or information for documentation or re-use.

**Constructor function**

Should you need to manually generate objects of this class, the constructor function `operations(...)` can be used instead of `new("operations", ...)`.

**Examples**

```
rev_2019_2021_merch <- revenue(  
  type="Sale",  
  category="Merch",  
  name="T-Shirts",  
  "2019.01"=100,  
  "2019.08"=267,  
  "2020.03"=344,  
  "2020.09"=549,  
  "2021.02"=770,  
  "2021.07"=1022,  
  "2021.12"=1263  
)  
rev_2019_2021_rec <- revenue(  
  type="Sale",  
  category="Records",  
  name="Albums",  
  "2019.01"=220,  
  "2019.08"=234,  
  "2020.03"=221,  
  "2020.09"=354,  
  "2021.02"=276,  
  "2021.07"=285,  
  "2021.12"=311  
)  
rev_2019_2021_inv <- revenue(  
  type="Invest income",  
  category="Rent",  
  name="Studio",  
  "2019.01"=120,  
  "2019.08"=234,  
  "2020.03"=321,  
  "2020.09"=454,  
  "2021.02"=376,  
  "2021.07"=385,  
  "2021.12"=211  
)  
exp_2019_2021_merch <- expense(  
  type="Goods",  
  category="Merch",  
  name="T-Shirts",  
  "2019.01"=65,  
  "2019.07"=170,  
  "2020.02"=210,  
  "2020.08"=312,  
  "2021.01"=450,  
  "2021.06"=600,  
  "2021.12"=720  
)  
exp_2019_2021_rec <- expense(  
  type="Goods",  
  category="Records",
```

```

    name="Pressing",
    "2019.01"=1860,
    "2019.02"=0,
    "2020.08"=600,
    "2020.09"=0,
    "2021.12"=0
  )

op_2019_2021 <- operations(
  period=c("2019.01", "2021.12") # alternative: 2019:2021
)
update_operations(op_2019_2021) <- rev_2019_2021_merch
update_operations(op_2019_2021) <- exp_2019_2021_merch
update_operations(op_2019_2021) <- rev_2019_2021_rec
update_operations(op_2019_2021) <- exp_2019_2021_rec
update_operations(op_2019_2021) <- rev_2019_2021_inv

```

---

permalink2list

*Turn a Shiny permalink into a list*


---

## Description

The Shiny package can generate permalinks of its web apps, making it possible to share individual configurations of the app with others. This function translated such a permalink into a named list, so you can use the configuration also in R code.

## Usage

```
permalink2list(permalink, prefix = ".*\\(?:_inputs_&")
```

## Arguments

permalink	Character string, the actual URL with arguments copied from the Shiny app as-is.
prefix	Character string or regular expression, should capture everything up to the first argument name. This is the part that will be discarded.

## Details

When this package was written, we also wrote a Shiny web app for it but separated the actual calculations from the app's code. This allowed us to use the same functions and objects in RMarkdown. We were discussing the numbers in the web tool using permalinks, and finally transferred the calculations to the PDF version.

To transfer the configuration from the web app to the markdown document, this function discards the URL prefix and splits the arguments into a named list that behaves like the input object commonly used in Shiny apps.

**Value**

A named list with one element for each argument in permalink.

**Examples**

```
permalink2list(
  paste0(
    "https://example.com/businessPlanR/?_inputs_&salary=50000",
    "&loan_interest=3.22&loan_period=7&loan_due=2&years=%5B%222022%22%2C%222026%22%5D"
  )
)
```

---

regularly

*Generate list of repeating financial transactions*


---

**Description**

For all years defined, generates a list of values as defined by pa and due at the given month. The result can be used as input for the .list argument of [expense](#), [revenue](#), and [transaction](#).

**Usage**

```
regularly(
  years,
  pa,
  month = "01",
  last = 0,
  first = 0,
  merge = list(),
  digits = 2
)
```

**Arguments**

years	Integer vector, the range of years to cover.
pa	A vector with values for each year. This amounts to the total sum for the respective year.
month	Character, but numeric description of a month in "MM" format when to account the values of pa. If you provide more than a single month here, e.g., quarterly payments, the amounts defined by pa are divided the number of months.
last	Defines the final entry, last month of the last year. It can be either a numeric value (taken as-is), "rep" (repeats the last value of pa), or "none" to omit adding a last month (e.g., to later merge with results of another call to this function). Only used if month is not "12".
first	Defines how to treat years if January was included in in month. This could be desired for merging, but problematic if you want to create a new transaction object. Valid values are the same as for last except "rep".

merge	Another list of values to be merged with the results, can be used for nested calls of this function to generate more complex patterns.
digits	Number of digits used for rounding when month is more than one entry.

**Value**

A list of monthly transactions named in "YYYY.MM" scheme (regularly\_delayed).

**Examples**

```
expense(
  type="Operation",
  category="Insurance",
  name="Electronics",
  missing="0",
  .list=regularly(
    years=2021:2025,
    pa=rep(111.11, 5),
    month="01",
    last=0
  )
)
```

---

regularly_delayed	<i>Generate list of repeating financial transactions with delayed starting month</i>
-------------------	--

---

**Description**

In case you only know the annual sum of transactions for given years but also that they don't begin in January of the first year, you can use the function `regularly_delayed` to split the sums to be used in revenue or expense objects that acknowledge the delay. It extends [regularly](#).

**Usage**

```
regularly_delayed(years, pa, start_month = 1)
```

```
delayed(pa, start_month = 1)
```

**Arguments**

years	See <a href="#">regularly</a> .
pa	See <a href="#">regularly</a> .
start_month	Integer number, the month of the first revenue/expense. All earlier monthly transactions will be 0 and the sum for the respective year divided by the number months left for that year.

**Details**

The `delayed` function assumes `pa` to be a total value for a full year, but does not distribute it evenly over the active months, but rather subtracts any amount that would have been due before `start_month`.

**Value**

Either a list of monthly transactions named in "YYYY.MM" scheme (`regularly_delayed`), or vector of the same length as `pa` (`delayed`).

**Examples**

```
# say you earn 3000 each year, but payment starts in September
# calculate payment sums
delayed_2019_2021 <- delayed(
  pa=rep(3000, 3),
  start_month=9
)

# now use the result to calculate monthly amounts
delayed_monthly_2019_2021 <- regularly_delayed(
  years=2019:2021,
  pa=delayed_2019_2021,
  start_month=9
)
```

---

revenue,-class

*S4 Class revenue*


---

**Description**

This is a special case of the generic class [transaction](#).

**Usage**

```
## S4 method for signature 'revenue'
initialize(
  .Object,
  type,
  category,
  name,
  per_use,
  missing = c("rep", "interpol", "0"),
  due_month = NA,
  valid_types = "default",
  ...,
  .list = list()
)
```

**Arguments**

<code>.Object</code>	The object to initialize.
<code>type</code>	A character string defining the type of transaction as defined by <code>valid_types</code> .
<code>category</code>	A character string, custom category for this transaction.
<code>name</code>	A character string, custom name or ID for this transaction.
<code>per_use</code>	If given, the numbers provided via <code>...</code> (or <code>.list</code> ) are not interpreted as the monetary value, but as number of transactions in that month, and the actual fiscal value is calculated by multiplying it with the value given here.
<code>missing</code>	One of "rep", "interpol", or "0". This defines how gaps are filled: If "rep", present values are repeated until the next valid value; if "interpol", missing values are interpolated using approx; if "0", missing values are set to zero.
<code>due_month</code>	Character vector to define months where transactions are due. This argument causes previous amounts to be cumulated and thereby postponed to the given month of a year. Combined with e.g. <code>.list</code> this makes it easier to turn monthly amounts into quarterly ones.
<code>valid_types</code>	A character string, the model types defined by <code>set_types</code> to be used for validation. If "default", pre-defined example types are used.
<code>...</code>	Numeric values named in YYYY.MM format, defining the transaction amount for a particular month. The resulting object will automatically cover all months from the earliest to the latest among all given values.
<code>.list</code>	An alternative to <code>...</code> if the values are already present as a list. If both are given, their values will be merged into one list.

**Slots**

<code>type</code>	A character string, for valid values see <code>valid_types</code> .
<code>category</code>	A character string, custom category for this revenue.
<code>name</code>	A character string, custom name or ID for this revenue.
<code>value</code>	Data frame containing all revenues, each month in a column named YYYY.MM.
<code>valid_types</code>	A character string, the model types defined by <code>set_types</code> to be used for validation.

**Constructor function**

Should you need to manually generate objects of this class, the constructor function `revenue(...)` can be used instead of `new("revenue", ...)`.

**Examples**

```
rev_2019_2021 <- revenue(
  type="Sale",
  category="Merch",
  name="T-Shirts",
  "2019.03"=100,
  "2019.08"=267,
  "2020.03"=344,
```

```

    "2020.09"=549,
    "2021.02"=770,
    "2021.07"=1022,
    "2021.10"=1263
  )

```

---

 set\_types

*Define valid types of revenues and expenses*


---

### Description

These functions change the globally available options of the running R session. Its values define types of transactions you want to be able to use in your business plan.

### Usage

```
set_types(types, class = c("revenue", "expense"), name = "default")
```

```

get_types(
  name = "default",
  class = c("revenue", "expense"),
  names_only = FALSE
)

```

```
get_model()
```

### Arguments

types	Named list, one entry for each type. Values define the color to use in plots.
class	One of "revenue" or "expense".
name	Character string, giving the set of types a name. You can use this to have multiple sets of types simultaneously in the same session.
names_only	Logical, whether the full list or only the names of defined types should be returned.

### Details

The getter functions return a list of default types if none have been defined so far.

### Value

set\_types is a wrapper for [options](#) and adds/replaces a list called name to the businessPlanR option of the running session. get\_types returns the list from the businessPlanR option. get\_model just returns the internal definition of default operations model as a list.



---

table_model	<i>Define a model node for business plan tables</i>
-------------	---

---

**Description**

Tool to define a (possibly nested) model for generating tables for our business plan. The "model" is in fact a nested list.

**Usage**

```
table_model(..., valid_types, check_carry = TRUE)
```

```
model_node(carry, ..., revenue, expense)
```

**Arguments**

...	Optional named lists of nodes ( <code>table_model</code> ) or nested sub-nodes ( <code>model_node</code> ), like subsections of this section. You can use <code>model_node</code> recursive to define these named nodes. Just don't forget to give each a unique name.
<code>valid_types</code>	Optional character string, the name of the type set to use for checking if all used revenue and expense names are actually valid.
<code>check_carry</code>	Logical, if TRUE all node names used und the nested list will be looked up if they are referenced by <code>carry</code> somewhere down the line.
<code>carry</code>	Optional character string, the name of another already defined named list, probably at the same level. The sum of that list will then be used as the initial value for the calculation of this node.
<code>revenue</code>	Optional character vector defining names defined as class revenue via <a href="#">set_types</a> .
<code>expense</code>	Optional character vector defining names defined as class expense via <a href="#">set_types</a> .

**Details**

If you define nested levels, you want to probably only want to combine this node with `carry` and neither revenue nor expense.

**Value**

A nested, named list.

**Examples**

```
my_model <- table_model(
  "Basic Income"=model_node(
    revenue="Sale"
  ),
  "Basic Costs"=model_node(
    carry="Basic Income",
    expense=c(
```

```

        "Goods",
        "Operation"
    )
),
valid_types="default",
check_carry=TRUE
)

```

---

transaction,-class      *S4 Class transaction*

---

## Description

This is a generic class used by subclasses [revenue](#) and [expense](#).

## Usage

```

## S4 method for signature 'transaction'
initialize(
  .Object,
  type,
  category,
  name,
  per_use,
  missing = c("rep", "interpol", "0"),
  due_month = NA,
  valid_types = "default",
  ...,
  .list = list()
)

```

## Arguments

<code>.Object</code>	The object to initialize.
<code>type</code>	A character string defining the type of transaction as defined by <code>valid_types</code> .
<code>category</code>	A character string, custom category for this transaction.
<code>name</code>	A character string, custom name or ID for this transaction.
<code>per_use</code>	If given, the numbers provided via <code>...</code> (or <code>.list</code> ) are not interpreted as the monetary value, but as number of transactions in that month, and the actual fiscal value is calculated by multiplying it with the value given here.
<code>missing</code>	One of "rep", "interpol", or "0". This defines how gaps are filled: If "rep", present values are repeated until the next valid value; if "interpol", missing values are interpolated using approx; if "0", missing values are set to zero.
<code>due_month</code>	Character vector to define months where transactions are due. This argument causes previous amounts to be cumulated and thereby postponed to the given month of a year. Combined with e.g. <code>.list</code> this makes it easier to turn monthly amounts into quarterly ones.

valid_types	A character string, the model types defined by <code>set_types</code> to be used for validation. If "default", pre-defined example types are used.
...	Numeric values named in YYYY.MM format, defining the transaction amount for a particular month. The resulting object will automatically cover all months from the earliest to the latest among all given values.
.list	An alternative to ... if the values are already present as a list. If both are given, their values will be merged into one list.

### Slots

type	A character string, valid values are defined by the subclasses.
category	A character string, custom category for this transaction.
name	A character string, custom name or ID for this transaction.
value	Data frame containing all transactions, each month of each year in a column named YYYY.MM.
valid_types	A character string, the model types defined by <code>set_types</code> to be used for validation.

### Constructor function

Should you need to manually generate objects of this class, the constructor function `transaction(...)` can be used instead of `new("transaction", ...)`. It uses the same arguments like the `initialize()` method.

You should either provide exactly one named value for each month of the full scope of the respective business plan, or at least two, representing the first and last value.

### Missing values

How missing values are dealt with depends on the value of the `missing` parameter. By default (`missing="rep"`) a given value will be repeated until a later value comes, which will then be repeated further on. That is, you can define a starting value and only have to provide updated values for months that differ from the previous value. Alternatively, `missing="interpol"` will interpolate missing values linearly, and `missing="0"` fills missing values with zeroes.

---

transaction\_plan,-class

*S4 Class transaction\_plan*

---

### Description

This is a container class for multiple objects of either class `depreciation` or `loan`, similar to `operations` for revenues and expenses. Its main data frame stores each transaction object in multiple rows. Investment have three rows, investment, depreciation, and remaining value, while loans have six named `balance_start`, `interest`, `principal`, `total`, `cumsum`, and `balance_remain`, respectively. This makes it easier to create nice overview tables via `kable_bpR`.

**Details**

The data frame has four meta data columns, `type`, `category`, `name`, and `part`, followed by a column for each month covered by any of the contained transaction objects. The first three columns take their values from the respective object, while the fourth, `part`, defines the rows as explained earlier.

**Slots**

`plan_type` One of "depreciation" or "loan", defining which type of transactions are accumulated in the object.

`plan` A data frame with three rows for each `depreciation` or six for each `loan` class object added to it, e.g., via `update_plan`.

**Constructor function**

Should you need to manually generate objects of this class, the constructor function `transaction_plan(...)` can be used instead of `new("transaction_plan", ...)`.

**Examples**

```
depreciation_printer <- depreciation(
  type="Depreciation",
  category="Office",
  name="Printer",
  amount=100,
  obsolete=36,
  invest_month="2019.04"
)
depreciation_laptop <- depreciation(
  type="Depreciation",
  category="Office",
  name="Laptop",
  amount=1200,
  obsolete=36,
  invest_month="2019.02"
)
# initialize an empty plan
dep_plan <- transaction_plan()
# add your assets to the plan
update_plan(dep_plan) <- depreciation_printer
update_plan(dep_plan) <- depreciation_laptop
```

---

update\_operations<- *Update operations objects*

---

**Description**

You can use this method to add or replace transactions to an existing object of class `operations`.

**Usage**

```
update_operations(obj, cut_to_period = TRUE, warning = FALSE, as_transaction) <- value

## S4 replacement method for signature 'operations'
update_operations(obj, cut_to_period = TRUE, warning = FALSE,
  as_transaction) <- value
```

**Arguments**

obj	An object of class <code>operations</code> .
cut_to_period	Logical, whether to adjust the data of value to the period covered by obj. This means that missing months will be added with zero values, and months that lie beyond the covered period will be dropped. This only affects objects of class <code>revenue</code> and <code>expense</code> .
warning	Logical, if TRUE shows a warning when <code>cut_to_period=TRUE</code> and months are adjusted.
as_transaction	Optional list of vectors of arguments for value of class <code>loan</code> or <code>depreciation</code> , as used by <code>as_transaction</code> . If given, the object provided as value will also be processed as if <code>as_transaction</code> was also called. This is repeated for each vector of arguments.
value	An object of either class <code>revenue</code> , <code>expense</code> , <code>loan</code> , <code>depreciation</code> , or <code>transaction_plan</code> .

**Value**

An updated object of class `operations`.

---

update_plan<-	<i>Update transaction_plan objects</i>
---------------	--

---

**Description**

You can use this method to add or replace `depreciation` or `loan` class objects to/in an existing object of class `transaction_plan`.

**Usage**

```
update_plan(obj) <- value

## S4 replacement method for signature 'transaction_plan'
update_plan(obj) <- value
```

**Arguments**

obj	An object of class <code>transaction_plan</code> .
value	An object of class <code>depreciation</code> or <code>loan</code> .

**Value**

An updated object of class `transaction_plan`.

**Examples**

```
depreciation_printer <- depreciation(  
  type="Depreciation",  
  category="Office",  
  name="Printer",  
  amount=100,  
  obsolete=36,  
  invest_month="2019.04"  
)  
depreciation_laptop <- depreciation(  
  type="Depreciation",  
  category="Office",  
  name="Laptop",  
  amount=1200,  
  obsolete=36,  
  invest_month="2019.02"  
)  
# initialize an empty plan  
dep_plan <- transaction_plan()  
# add your assets to the plan  
update_plan(dep_plan) <- depreciation_printer  
update_plan(dep_plan) <- depreciation_laptop
```

# Index

## \* classes

- depreciation, -class, 7
  - expense, -class, 9
  - loan, -class, 21
  - operations, -class, 25
  - revenue, -class, 30
  - transaction, -class, 34
  - transaction\_plan, -class, 35
- as\_transaction, 37
- as\_transaction (get\_revenue), 12
- as\_transaction, -methods (get\_revenue), 12
- as\_transaction, depreciation-method (get\_revenue), 12
- as\_transaction, loan-method (get\_revenue), 12
- barplot, 4, 4
- barplot, expense-method (barplot), 4
- barplot, operations-method (barplot), 4
- barplot, revenue-method (barplot), 4
- businessPlanR (businessPlanR-package), 3
- businessPlanR-package, 3
- calc\_staff, 4
- ceiling, 16
- collapse\_rows, 19
- condense, 5, 10, 11
- condense, -methods (condense), 5
- condense, operations-method (condense), 5
- condense-methods (condense), 5
- delayed (regularly\_delayed), 29
- depreciation, 12, 15, 35–37
- depreciation (depreciation, -class), 7
- depreciation, -class, 7
- depreciation-class (depreciation, -class), 7
- expense, 4, 8, 11, 12, 15, 22, 28, 34, 37
- expense (expense, -class), 9
- expense, -class, 9
- expense-class (expense, -class), 9
- fin\_needs, 10
- first\_last, 11
- floor, 16
- format, 24, 25
- get\_depreciation\_plan (get\_revenue), 12
- get\_depreciation\_plan, -methods (get\_revenue), 12
- get\_depreciation\_plan, operations-method (get\_revenue), 12
- get\_expense (get\_revenue), 12
- get\_expense, -methods (get\_revenue), 12
- get\_expense, operations-method (get\_revenue), 12
- get\_loans (get\_revenue), 12
- get\_loans, -methods (get\_revenue), 12
- get\_loans, operations-method (get\_revenue), 12
- get\_misc (get\_revenue), 12
- get\_misc, -methods (get\_revenue), 12
- get\_misc, operations-method (get\_revenue), 12
- get\_model (set\_types), 32
- get\_period (get\_revenue), 12
- get\_period, -methods (get\_revenue), 12
- get\_period, depreciation-method (get\_revenue), 12
- get\_period, loan-method (get\_revenue), 12
- get\_period, operations-method (get\_revenue), 12
- get\_period, transaction\_plan-method (get\_revenue), 12
- get\_plan (get\_revenue), 12
- get\_plan, -methods (get\_revenue), 12
- get\_plan, transaction\_plan-method (get\_revenue), 12

- get\_plan\_type (get\_revenue), 12
- get\_plan\_type, -methods (get\_revenue), 12
- get\_plan\_type, transaction\_plan-method (get\_revenue), 12
- get\_revenue, 12
- get\_revenue, -methods (get\_revenue), 12
- get\_revenue, operations-method (get\_revenue), 12
- get\_sum (get\_revenue), 12
- get\_sum, -methods (get\_revenue), 12
- get\_sum, expense-method (get\_revenue), 12
- get\_sum, revenue-method (get\_revenue), 12
- get\_types (set\_types), 32
- get\_value (get\_revenue), 12
- get\_value, -methods (get\_revenue), 12
- get\_value, depreciation-method (get\_revenue), 12
- get\_value, expense-method (get\_revenue), 12
- get\_value, loan-method (get\_revenue), 12
- get\_value, revenue-method (get\_revenue), 12
- get\_value, transaction\_plan-method (get\_revenue), 12
- growth, 16
- initialize, depreciation-method (depreciation, -class), 7
- initialize, expense-method (expense, -class), 9
- initialize, loan-method (loan, -class), 21
- initialize, revenue-method (revenue, -class), 30
- initialize, transaction-method (transaction, -class), 34
- kable\_bpR, 17, 24, 35
- kable\_bpR, -methods (kable\_bpR), 17
- kable\_bpR, loan-method (kable\_bpR), 17
- kable\_bpR, operations-method (kable\_bpR), 17
- kable\_bpR, transaction\_plan-method (kable\_bpR), 17
- kable\_styling, 19, 21
- kbl, 19, 21
- kbl\_by\_types, 20
- kbl\_by\_types, -methods (kbl\_by\_types), 20
- kbl\_by\_types, operations-method (kbl\_by\_types), 20
- list\_plans (get\_revenue), 12
- list\_plans, -methods (get\_revenue), 12
- list\_plans, transaction\_plan-method (get\_revenue), 12
- loan, 12, 15, 19, 21, 35–37
- loan (loan, -class), 21
- loan, -class, 21
- loan-class (loan, -class), 21
- model2df, 23
- model2df, -methods (model2df), 23
- model2df, list-method (model2df), 23
- model\_node (table\_model), 33
- nice\_numbers, 24
- operations, 4–6, 8, 12, 15, 19, 21, 22, 35–37
- operations (operations, -class), 25
- operations, -class, 25
- operations-class (operations, -class), 25
- options, 32
- permalink2list, 27
- regularly, 28, 29
- regularly\_delayed, 29
- revenue, 4, 8, 11, 12, 15, 22, 28, 34, 37
- revenue (revenue, -class), 30
- revenue, -class, 30
- revenue-class (revenue, -class), 30
- round, 16, 25
- set\_misc<- (get\_revenue), 12
- set\_misc<-, -methods (get\_revenue), 12
- set\_misc<-, operations-method (get\_revenue), 12
- set\_types, 4, 8–10, 16, 22, 23, 31, 32, 33, 35
- table\_model, 24, 33
- transaction, 7, 9, 11, 21, 22, 28, 30
- transaction (transaction, -class), 34
- transaction, -class, 34
- transaction-class (transaction, -class), 34
- transaction\_plan, 12, 15, 25, 37
- transaction\_plan (transaction\_plan, -class), 35
- transaction\_plan, -class, 35
- transaction\_plan-class (transaction\_plan, -class), 35



update\_operations<-, 36  
update\_operations<-,-methods  
    (update\_operations<-), 36  
update\_operations<-,-operations-method  
    (update\_operations<-), 36  
update\_plan, 36  
update\_plan (update\_plan<-), 37  
update\_plan<-, 37  
update\_plan<-,-methods (update\_plan<-),  
    37  
update\_plan<-,-transaction\_plan-method  
    (update\_plan<-), 37